

THOMSON
Woodboard
the economic way..OSB

THE THOMSON GROUP

37 Years of pioneering experience

തടി തന്നെ...! തടിയേക്കാൾ വിലക്കുറുവിൽ... !!



One Board Many Applications Lots of Possibilities..

Thomson Calibrated strand board (OSB) is a revolutionary alternative to conventional wood panels. OSB is an engineered wood panel where rectangular wood strands are arranged in cross oriented layers and binded together with resin. These greener options to plywood are moisture resistant, have high load capacities and are customizable to different sizes, thickness and shapes.

Thomson OSB is an eco-friendly product engineered for strength, durability and looks; can be used both for interior and exterior applications. The surface calibrated sheets are made using advanced european technology.

APPLICATIONS


- Interior Furnishing
- Modular Furniture
- Prefab House
- Ceiling & Flooring
- Wall Paneling
- Sound Insulation
- Partition & Door
- Industrial Racks
- Exhibition Stall
- Decorative Work
- Table & Bench Top
- Home Theatre
- Concrete Shuttering
- office interior work
- Mezzanine Flooring
- all carpentry work

Board Size :8 feet X 4 feet

Thickness :8mm,10mm,14mm,16mm,18mm

Calibrated and Non-calibrated





PLY,MDF ഇവക്കു പകരം കൂടുതൽ ഭംഗിയായി
 ടേബിളുകളും ഷെൽഫുകളും പണിതെടുക്കൂ..
 വേഗത്തിലും ലാഭത്തിലും!!!

THOMSON
Woodboard
 the economic way...OSB



**PLY,MDF ഇവക്കു പകരം
കുടുതൽ ഭംഗിയായി
RACK കൾ
പണിപ്പെടുക്കൂ...
വേഗത്തിലും ലാഭത്തിലും..!!**



**PLY,MDF ഇവക്കു പകരം കുടുതൽ
ഭംഗിയായി showroom interior
ചെയ്തെടുക്കാം..
വേഗത്തിലും ലാഭത്തിലും..!!**





**BOTH SIDE
CALIBRATED
PANEL**



**180 DEGREE
FLAT PANEL**



**ALL GLUE
LINE**



**NO
DELAMINATION**



**ISPM 15
APPROVED**



POLISH & PAINT



**NO
WARPING**



**TERMITE
RESISTANCE**



**EXCELLENT
STRENGTH-TO-
WEIGHT RATIO**



**CARBON
CREDIT**



**EASY TO CUT,
SCREW/NAIL & SAW
AS WITH PLYWOOD
& MDF**

Complete Carpenter
Friendly Product

Comparison



WOODBORD

Constituents

Rectangular wood strands layered in specific orientation and combined together with wax and resin adhesive

Strengths

Equivalent to plywood

Consistent Density

As many as 50 strand layers can be compressed into the same thickness

Value

Competitive pricing

Uses

Interior & exterior

Finish

Can Polish & paint



PLYWOOD

Thin sheets of veneer are glued together

Good shear strength

Sheet of plywood might be 5 to 7 plies thick only

Expensive

Interior only

Can't polish & paint



MDF & PB

MDF is a waste-wood product made from fine wood fiber; while PB is made from wood-waste mixed with sawdust.

Shares similar strength with Particle Board

No layer

Low in cost

Interior only

Can't polish & paint



THOMSON
Woodboard
the economic way.. OSB

Tomlukes
INDIA
Innovative building products

A Concern of Thomson Group



CALIBRATED



PLAIN

Customer care : 9747061221, 8590284580, 7736680444

Trivandrum | Kottayam | Ernakulam | Kozhikode / www.tomlukesindia.com

dealership enquiries solicited